



ENTRANCE DOOR CATALOG

CONTENT

Page

WOODEN DOORS	4
Technical information	8
Modern wooden door	10
Enamelled glass wooden door	30
Classic wooden door	34
Side entrance door	38

WOOD-ALU DOORS 40 Technical information......44 Email glass wood-alu door...... 60 Classic wood-alu door...... 64

T	EC	H	NIC	J		
Τe	chnic	al in	form	ation		

\cap		R	
\cup		1 1	/8
Colour	charle	for wood and	d aluminium

GLASS Decorative glass and composition

ACCESSORIES.....83



WOOD AND WOOD-ALUMINIUM ENTRANCE DOOR

DOORS, SPATIAL AND SYMBOLIC PATHWAYS OF LIFE.

Doors are a part of life. We encounter them daily, belong to them, view them, touch them many times, open them with respect, expectation, reservation and curiosity, hide behind them or unveil with them ...

Having a door means having a home, safety, a place of belonging. Doors invite us to pass through them, they are a pathway from cradle to grave. We gain them as we are born and pass through them symbolically to the great beyond. Open doors represent opportunity and hope and closed doors mean privacy, a sense of peace or disappointment and feeling constrained.

Doors are linked to the natural need to arrange and delineate space. The oldest doors were made of wood, they were massive and had no paintings or carvings.

The best contemporary entrance doors are minimalistic, with clean lines, made from high-quality wood composite materials.

The key features of contemporary entrance doors are heat and sound insulation and the domestic feel brought about by the warmth of wood.

Wooden and wood-aluminium entrance doors can contribute to the attractiveness of a space without forcing themselves upon it. The use of various types of wood and different colours can achieve special aesthetic highlights.

Enjoy nature in its finest form through the rich textures of wood, which are either transversal or longitudinal.


Perhaps entrance doors from the catalogue will inspire you and lead you to an insight about the doors of your life. Through your door you'll enter into life, travel through it and into the future.

Author: Mag. Polona Sketeli











WOODEN ENTRANCE DOOR

CONVINCING ADVANTAGES

Real wood in its finest form is unique and natural.

The individual colours, texture and structure of wood give door surfaces an indispensable form of an element of a building. Be it as flooring, furniture or a door surface —with its irreplaceable charm natural wood offers a good living atmosphere, which simply invites one to feel good.

The advantages related to environmental protection are decisive.

Wooden doors are the most environmentally friendly kind as they are made of renewable natural material. Wood safely stores CO2, a greenhouse gas. Wooden entrance doors contribute to energy savings as their excellent heat insulation properties reduce the cost of heating.

The option to select high-insulation models

In addition to standard models, low-energy or passive door models are also available.

Top-quality surface processing

Applies different colour shades and effects to offer a wide range of designs, tailored to the customer's wishes. Our paints offer exceptional protection against the weather and mechanical impacts. A naturally protected and coated wooden surface will give you many years of satisfaction with your entrance door, provided you treat it with proper care

A high level of heat insulation, optimal sound insulation and the highest level of safety.

WOOD MODERN

H101













H101











P.10

























P.15









H144























P.20














STANDARD MODEL AND STRUCTURE









	MODERN	VETRO	CLASSIC	VINTAGE - OLD WOOD
Model	H101,	H301,	H501,	H401,
Page in the catalogue	10- 29	30 - 33	34 - 37	12 m
Frame thickness	68 mm	68 mm	68 mm	68 mm
Panel thickness	68 mm	77 mm	68 mm	68 + 20 mm massive old wood application (88 mm)
Panel type	Standard (optional Allwetter)	Standard (optional Allwetter)	Standard (optional Allwetter)	Standard (optional Allwetter)
Glass	double gazing, Ug = 1,1 W/m ² K	tripple glazing, Ug = 0,7 W/m ² K, exterior Parsol	2-fach, Ug = 1,1 W/m ² K	tripple glazing, Ug = 0,7 W/m ² K
	patterns group 1	grey ESG + enamel / interior transparent ESG	Ornament Glasgruppe 1	Ornament Glasgruppe 1
Cills	depending on the model (W1, W7, ohne)	without	Holzprofil W1	without
Application (stainless steel, wood etc.)	only on the exterior	only on the exterior	only on the exterior	929
Glass lath	only on the inxterior, flächenbündig	without	exterior and interior	depends on the model
Seal	2	2	2	2
Lock	3-point hookLock M2	3-point hookLock M2	3-point hookLock M2	3-point hookLock M2
Hinges	3D adjustable	3D adjustable	3D adjustable	3D adjustable
Threshold	thermal insulated TB75	thermal insulated TB75	thermal insulated TB75	thermal insulated TB75
Heat transfer Ud	up to 1,2 W/m ² K (wood type spruce)	up to 1,2 W/m ² K (wood type spruce)	up to 1,2 W/m ² K (wood type spruce)	up to 1,2 W/m ² K (wood type spruce)


Standard model - general:

- · wood types: spruce, oak, European larch
- standard type panel = composed of a special multi-layered sheet made of a frame from solid wood and veneered multi-layered sheets with a steam barrier. Integrated stabilisers made from carbon fibres on the side of the lock prevent bending and the insulation core provides low heat transmission of the panel UP = 0.96 W/m2K (spruce wood).
 • elements from stainless steel or wood and decorative moulding only on the exterior
- surface single-colour thick-layered coating from standard colour charts
 regular profile cylinder PZ1 with 6 keys and N+G function
- · without handles and rosettes



Option available for an additional charge:

 Allwetter type panel – additional aluminium strengthening strips on the side of the lock for improved panel stability other properties identical to the Standard model









LOW	ST. SHOW NO. 16	HATTER MARCH.	ARREST TO A	F - 470, 200

H101,H301,H501	
10 - 37	
85 mm	
85 mm (VETRO 94 mm)	
low energy	
triple glazing, Ug = 0,7 W/m ² K, Orn. Glass group 1	
(VETRO Parsol grey + enamel)	
depends on the model (W1, W7, without)	
only on the exterior	
depends on the model	
3	
3-point hookLock	
3D adjustable	
thermal insulation TB90	
up to 1,0 W/m ² K (wood type spruce)	

FLUSH 85**

H101,H301,
10 - 33
85 mm (VETRO 94 mm)
85 mm (VETRO 94 mm)
low energy
triple glazing, Ug = 0,7 W/m ² K, Orn. Glass group 1
(VETRO Parsol grey + enamel)
stainless steel W7 (verno without)
only on the exterior
only on the interior, flush
2
3-point hookLock
hidden, 3D adjustable
thermal insulation TB52
up to 1,0 W/m ² K (wood type spruce)

PASIVE 100

H101,H301,H501
10 - 37
100 mm
100 mm (VETRO 109 mm)
Passiv
triple glazing, Ug = 0,7 W/m ² K, Orn. Glass group 1
(VETRO Parsol grey + enamel)
depends on the model (W1, W7, without)
only on the exterior
depends on the model
3
3-point hookLock
3D adjustable
thermal insulation TB75 + ABD

up to 0,9 W/m2K (wood type spruce)

FLUSH** 100

H101,H301,
10 - 33
100 mm (VETRO 109 mm)
100 mm (VETRO 109 mm)
Passiv
triple glazing, Ug = 0,7 W/m ² K, Orn. Glass grou
(VETRO Parsol grey + enamel)
stainless steel W7 (VETRO without)
only on the exterior
only on the interior, flush
2
3-point hookLock
hidden, 3D adjustable
thermal insulation TB75 + ABD

up to 0,9 W/m²K (wood type spruce)

[•] Ultrahaus type panel = composed of a special multi-layered sheet made of a frame from solid wood and veneered multi-layered sheets with a steam barrier. Integrated stabilisers made from carbon fibres on the side of the lock prevent bending and the insulation core provides low heat transmission of the panel UP = 0,77 W/m2K (spruce wood).

[•] Thermosafe type panel = composed of a special multi-layered sheet made of a frame from solid wood and veneered multi-layered sheets with a steam barrier. Integrated stabilisers made from carbon fibres on the side of the lock prevent bending and the insulation core provides low heat transmission of the panelUP = 0,59 W/m2K (spruce wood).

^{**} Attention - in flush models (panel and frame on the same plane), technical and atmospheric conditions may result in differences between the flush effect of the panel and the frame. The panel is usually a few millimetres higher than the frame. Owing to the arrangement of the fittings and the precision of installation, the gap between the panel and the frame may be uneven.



Wood type: oak,

pannel on the exterior & interior gnarled veneer - transversal

Colour: oil

Handle on the interior: S640 Rosette on the exterior: SZEP Handle on the exterior: SQ160

Side element: ST01

Glass side element: Satinato white

Accessories: EAV3 lock + Fingerscanner FS1S Special model: pannel and frame on the exterior and on the interior flush



H101

Wood type: spruce,

pannel on the exterior & interior gnarled veneer - vertical,

brushed (old wood effect)

Colour wing: spruce - old wood effect - grey

Colour frame: RAL9005

Handle on the interior: S640

Rosette on the exterior: SZE

Handle on the exterior: V150S

Accessories: EAV3 lock + Fingerscanner FS1S



H101

Wood type: oak Colour: E13

Handle: S689

Accessories: EAV3 lock + Fingerscanner FS1S

Having a door means having a home, safety, a place of belonging.



Wood type: oak,

pannel on the inside & outside gnarled veneer

Colour: E11

Handle on the interior: GE504 Rossete on the exterior: Z Handle on the exterior: GR-TL Side element: ST01 left & right Glass side element: Satinato white







H101

Wood type: European larch; pannel on the exterior and interior gnarled veneer - transversal Side element on the interior gnarled veneer - transversal

Colour: geölt

Handle on the interior: S604 Rossete on the exterior: SZA

Handle: SD160

Side element: ST03

Glass side element: Parsol grey with black enamel, clear glass in the middle



Wood type: oak; pannel on the exterior & interior gnarlde veneer - transversal, Side element inside gnarled veneer

Colour wing: grey oil

Colour frame on the exterior: covered with aluminium element in RAL7021

Handle on the interior: S640 Rossette on the exterior: SZE

Handle on the exterior: SQ160

Side element: ST03

Glass side element : Parsol grey with enamel black,

clear glass in the middle Accessories: EAV3 lock + Fingerscanner FS1S

H101

Wood type: spruce,

pannel on the exterior & interior gnarled veneer - transversal, brushed inside frame gnarled veneer, brushed (old wood effect)

Colour: spruce odl wood effect brown

Handle on the interior: GE540

Rossette on the exterior: ZS

Handle on the exterior: GS160

Special model: frame on the exterior covered with aluminium element in RAL7016



H101

Wood type: European arch Colour: L12

Handle on the interior: GE504 Rossette on the exterior: Z Handle on the exterior: GR150

Cill: W7



H101 Wood type: spruce Colour: RAL7045 Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: V10Q

Cill: W7

Accessories: EAV3 lock + finger scanner CT1







H101

Wood type: spruce Colour inside: colourless coating F00 Pannel on the exterior: DECO 0427 Beton

Frame colour on the exterior: PFS9007 Feinstruktur

Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: HG1-140

Side element: ST01

Glass side element: Satinato white Accessories: EAV3 lock + Fingerscanner FS1 Special model: pannel on the exterior and on the interior flush



Wood type: spruce (Ausführung Vintage), pannel on the exterior: massive old wood application, type 3A quer

Colour on the interior: F00
Colour frame on the exterior: RAL7016
Handle on the interior: GE504
Rossette on the exterior: ZAP
Handle on the exterior: GR160
Side element: ST01
Glass side element: Satinato white
Accessories: EAV3 lock + Fingerscanner FS1





H401

Wood type: spruce (Ausführung Vintage), old wood application on the exterior, type 5C quer spruce gnarled veneer on the interior Colour on the interior: F00 Handle: S689

Left picture: exterior Right picture: interior

ECHTES MASSIVES ALTHOLZ

Hinter jedem Ballen und jedem Brett verbirgt sich eine lange und besondere Geschichte. Ob jahrzehntelang von der Sonne geprägt, vor Jahrhunderten per Hand gefällt oder vom Wind und Regen gezeichnet sind alle Hölzer einzigartig in ihrer Form, Struktur und der Farbe.

Wood type: oak (model Vintage), massive odl wood application on the exterior, Type 4E quer Colour on the interior: E00 Handle on the interior: GE540 Rossette on the exterior: ZEP Handle on the exterior: GS160-FS Accessories: EAV3 lock + Fingerscanner on the handle



H401

Wood type: oak (model Vintage), massive old wood application, Type 2E quer

Colour: oil Handle on the interior: S604 Rossette on the exterior: SZAR Handle on the exterior: V10QS

Accessories: EAV3 lock + Fingerscanner FS1S







H401

Wood type: spruce (model Vintage), massive old wood application on the exterior, Type 3B quer

Color on the interior: F00 Handle on the interior: S640 Rossette on the exterior: SZEP Handle on the exterioe: SQ160

Side element: ST01

Glass side element: Satinato white



pannel on the exterior and on the interior gnarled veneer - transversal

Colour; oil

Handle on the interior: GE504

Rossette on the exterior: Z

Handle on the exterior: GR180

Side element: ST01

Glass side element: Satinato white

Accessories: EAV3 lock + Fingerscanner FS1



H197

Wood type: spruce Colour: RAL7021

Handle on the interior: GE540 Rossette on the exterior: ZEP Handle on the exterior: V120

Side element: ST01

Glass side element: Satinato white

Accessories: EAV3 lock + Fingerscanner FS1



H₁₀₃

Wood type: Larch

pannel on the exterior and on the interior gnarled veneer

Colour: oil

Handle on the interior: GE504

Rossette on the exterior: ZEP

Handle on the exterior: D55QE (quer)

Side element: ST02 - full, on the exterior & on the interior

transversal veneer

Special model: pannel on the exterior and on the interior flush

Wood has a lively texture and provides for the best quality of accommodation and a natural atmosphere of the home.



Wood type: oak,

pannel on the exterior and on the interior gnarled veneer - transversal

Colour: E12

Handle on the interior: GE504

Rossette on the exterior: ZA

Handle on the exterior: GR160-FS

Cill: W1

Side element: ST01

Glass side element: Motif 6S on clear glass Accessories: EAV3 lock + Fingerscanner am Griff







Wood type: oak; pannel on the exterior and on the interior gnarled veneer - transversal, Side element in the interior gnarled veneer

Glass side element: Parsol grey + enamel black, in the middle clear glass



Wood type: spruce Colour: RAL7015 Handle on the interior: GE504 Rossette on the exterior: Z Handle on the exterior: HG1-120 Cill: W7 Side element: ST01 Glass side element: Motif 105S on clear glass Accessories: EAV3 lock + Codetastatur CT1



H141

Wood type: oak;

panel on the exterior & on the interior gnarled veneer - transversal

Colour on the interior: oil

Colour on the exterior: PFS7016 (Protor-Finish structured surface)

Colour of wooden moulding on the exterior: oil

Handle on the interior: GE504 Rosette on the exterior: SZ Handle on the exterior: SD80

Side element: ST01

Glass Side element: satin white



H106E

Wood type: oak;

panel on the exterior & on the interior transversal veneer

Colour: E14

Elements from stainless steel only on the exterior

Handle on the interior: GE514 Rosette on the exterior: ZE Handle on the exterior: GS150

Cill: W7

Side element: ST01

Glass Side element: motif 106S on transparent glass

Wood type: European larch; panel on the exterior & on the interior transversal veneer

Colour: L12 Handle on the interior: GE504 Rosette on the exterior: Z Handle on the exterior: GR75 Cill: W1 Side element: ST01 Glass Side element: sandblasted motif with the name and house number



H107E

Wood type: oak;

panel on the exterior & on the interior transversal veneer

Colour: E17

Elements from stainless steel only on the exterior

Handle on the interior: GE540 Rosette on the exterior: ZS Handle on the exterior: GS150

Cill: W7

Side element: ST01

Glass Side element: motif 4S

on transparent glass

Accessories: EAV3 lock + Fingerscanner FS1







H197E

Wood type: oak,

panel on the exterior & on the interior transversal veneer

Colour, oil

horizontal metal application only on the exterior, colour RAL9005

Handle on the interior: S640 Rossette on the exterior: SZE Handle on the exterior: SQ160 Side element: ST01

Glass side element: Satinato white

Accessories: EAV3 lock + Fingerscanner FS1S



H191E

Wood type: spruce,

pannel on the exterior and on the interior gnarled veneer, brushed (old wood effect) Colour Decor on the exterior an pannel on the interior: Spruce old wood effect brown Colour pannel on the exterior and frame (on exterior and interior): RAL8019 stainless steel applications only on exterior, colour RAL9005

Handle on the interior: \$640 Rossette on the exterior: SZEP Handle on the exterior: SQ160 Side element: ST01 Glass side element: Satinato white

Accessories: EAV3 lock+ Fingerscanner FS1S



H191

Wood type: oak

pannel on the exterior and on the interior gnarled veneer - transversal

Colour: oil

Colour of decor on the exterior: RAL7016

Handle on the interior: GE504 Rossette on the exterior: Z

Handle on the exterior: GR160-FS

Accessories: EAV3 lock+ Fingerscanner on the handle



H144

Wood type: European larch;

panel covered on the exterior with decorative rails - transversal

Colour: oil

Handle on the interior: GE540

Rossette on the exterior: ZEP

Handle on the exterior: GS-TL

Holzart: European larch panel covered on the exterior with decorative rails - vertical


Colour: L12 Glass: clear glass Handle on the interior: GE540 Rossette on the exterior: ZS Handle on the exterior: GS-LA

Accessories: EAV3 lock+ Fingerscanner FS1



H196

Wood type: spruce panel covered on the exterior with decorative rails - vertical Colour: PFS9006 Feinstruktur Handle on the interior: GE540 Rossette on the exterior: ZEP Handle on the exterior: D39 Accessories: EAV3 lock+ Fingerscanner FS1









H143

Wood type: European larch panel covered on the exterior with decorative rails - vertical

Colour, E11 Handle on the interior: S640 Rossette on the exterior: SZE Handle on the exterior: SQ160 Side element: ST01 Glass side element: Satinato white



Wood type: oak,

decor on the exterior gnarled veneer - vertical, oiled

Colour: RAL9016

Glass: Motif 108B on clear glass

Handle on the interior: GE504 Rossette on the exterior: Z

Accessories: EAV3 lock+ Fingerscanner FS1

Handle on the exterior: GR150 Cill: W7 Side element: ST01 Glass side element: Motif 108BS on clear glass



H148

Wood type: European larch Colour: L12 Glass: Satinato white Handle: S694 CIII: W1



H413

Wood type: spruce (old wood effect);

massive old wood effect application on the exterior, Type 3A längs & gnarled veneer

Colour inside: F00 Glass: Altdeutsch white

Handle: GSE1 Cill: W7S

Accessories: EAV3 lock+ Fingerscanner FS1S

Real wood at its finest form is unique and natural.

Wood type: oak Farbe: E13 Glass: Uadi white

Handle on the interior: GE540

Rossette on the exterior: ZE Handle on the exterior: GS150-FS

Cill: W1

Accessories: EAV3 lock + Fingerscanner on handle



H193

Wood type: oak pannel on the exterior and on the interior gnarled veneer - transversal Oberfläche: geölt Glass: Satinato weiß Handle on the interior: GE504 Rossette on the exterior: Z Handle on the exterior: GR150 Cill: W7 Accessories: EAV3 lock+ Fingerscanner FS1







Wood type: European larch Colour: L11 Glass: Motif 146 on clear glass Handle on the interior: GE504 Rossette on the exterior: ZA Handle on the exterior: GR150 Cill: W7 Side element: ST01

Glass side element: Motif 146S on clear glass



H116E

Wood type: oak, pannel on the interior and on the exterior gnarled veneer - vertical Colour: oil, colour decor on the exterior: RAL7016

Metal application only on the exterior

Glass: Motif 116 on clear glass

Handle on the interior: GE540

Rossette on the exterior: ZS Handle on the exterior: GS160

Cill: W7

Side element: ST01

Glass side element: Motif 116S on clear glass

Accessories: EAV3 lock+ Fingerscanner FS1



H125E

Wood type: spruce Colour: F17

Metal application only on the exterior Glass: Motif 125 on clear glass Handle on the interior: GE504 Rossette on the exterior: ZA Handle on the exterior: GR150

Cill: W7

Side element: ST01

Glass side element: Motif 125S on clear glass



H147

Wood type: oak Colour: E11

Glass: Motif 147 on clear glass Handle on the interior: GE504

Rossette on the exterior: Z Handle on the exterior: GR80-FS

Cill: W1

Side element: ST01

Glass side element: Motif 147S on clear glass

Accessories: EAV3 lock+ Fingerscanner on handle



H121E

Wood type: oak

pannel on the exterior and on the interior gnarled veneer - transversal

Colour: E11

Metal applications only on the exterior

Glass: Satinato white Handle on the interior: GE540

Rossette on the exterior: ZS

Handle on the exterior: GQ80









H119

Wood type: spruce Colour: F13 Glass: Satinato white Handle on the interior: GE540 Rossette on the exterior: ZEP Handle on the exterior: GS80 Cill: W5 Side element: ST01 Glass side element: Motif 5S on clear glass Accessories: EAV3 lock+ Keypad CT1



HITTE

Wood type: spruce Colur: F11 Decor colur on the exterior: RAL7016 Metal applications only on the exterior Glass: Motif 111 on clear glass

Handle on the interior: GE504 / Rossette on the exterior: Z

Handle on the exterior: GR80

Cill: W7

Side element: ST01

Glass side element: Motif 111S on clear Accessories: EAV3 lock+ Keypad CT1



H411

Wood type: spruce (vintage imitation); pannel on the exterior massive old wood application, Colour of aluminium elements and decor on the exterior: RAL8019 Colour on the exterior: F00 Glass: Satinato white Handle on the interior: GE540 Rosstte on the exterior: ZEP Handle on the exterior: GS160-FS Accessories: EAV3 lock+ Fingerscanner on handle



H453

Wood type: oak (vintage imitation); pannel on the exterior massive old wood application, Typ 2E quer Colour: oil Glass: Satinato white Handle on the interior: S604 Rossette on the exterior: SZAP Handle on the exterior: SD160

Natural wood has a charm that offers a favourable atmosphere to the home, which simply invites one to feel good.

H150E

Wood type: spruce Colour: PFS7016 Feinstruktur Metal applications only on the exterior Glass: Satinato white Handle on the interior: GE504 Rossette on the exterior: ZA Handle on the exterior: HG1-120



H122

Wood type: spruce Colour: F11 Glass: Satinato white Handle on the interior: S640 Rossette on the exterior: SZE Handle on the exterior: SQ160 Cill: W1

Accessories: EAV3 lock + Fingerscanner FS1S







H122E

Wood type: European larch Colour, L12 Metal applications only on the exterior Glass: Satinato white Handle on the interior: GE540 Rossette on the exterior: ZS Handle on the exterior: D55QE (quer) Side element: ST01 Glass side element: Satinato hite Accessories: EAV3 lock + Fingerscanner FS1



Wood type: spruce (vintage imitation); massive old wood application, Typ 3A quer Colour: on the interior F00 Glass: Satinato white Handle on the interior: S640 Rossette on the exterior: SZEP

Handle on the exterior: SQ-LA

Side element: ST01

Glass side element: sandblasted Motif with house number



H192

Wood type: oak, pannel on the exterior and on the interior gnarled veneer - vertical Colour: dark brown oil Glass: Motif 192 on clear glass Handle on the interior: GE540 Rossette on the exterior: ZS Handle on the exterior: GQ160 Accessories: EAV3 lock + Fingerscanner FS1



H404

Wood type: spruce (vintage imitation); massive old wood application on the exterior, Typ 3B quer Colour on the interior: F00 Glass: Altdeutsch white Handle: GM70 Cill: W7S Accessories: glass cross-bars H404 in black colour



Wood type: oak Colour: E11 Decor colour on the exterior: RAL7016 Glass: Motif 194 on clear glass Handle on the interior: GE504 Rossette on the exterior: ZA Handle on the exterior: GG194

Cill: W7

Accessories: EAV3 lock + Fingerscanner FS1







H136E

Wood type: oak Colour: E15

Decor colour on the exterior: RAL1019 Metal applications only on the exterior Glass: Motif 136 on clear glass Handle on the interior: GE504 Rossette on the exterior: Z Handle on the exterior: GG136

Cill: W7

Side element: ST01

Glass side element: Motif 136S on clear glass



Wood type: spruce Colour on the interior: F00

Frame colour on the exterior: RAL7021

Pannel on the exterior: Glass Parsol grey + enamel black

Handle on the interior. GE504

Rossette on the exterior: ZAR

Debossed handle on the exterior: VK150L (with LED lighting)

Side element: ST03

Glass side element: Parsol grey + enamel black, clear glass in the middle

Accessories: EAV3 lock + Fingerscanner FS1



H301

Wood type: spruce
Colour on the interior: F00
Frame colour on the exterior: PFS9007 Feinstruktur
Pannel on the exterior: clear glass enameled in RAL7000
Handle on the interior: GE504
Rossette on the exterior: ZAR
Handle on the exterior: HG2F-TI



H405

Wood type: spruce (vintage imitation);
massive old wood application on the exterior,
Typ 3B quer
Colour on the interior: F00
Glass: Parsol grey + enamel black,
clear glass in the middle
Handle on the interior: S640
Rossette on the exterior: SZEP
Handle on the exterior: SQ160
Accessories: EAV3 lock + Fingerscanner FS1S

Wood tyoe: oak Colour: E17

Glass: Parsol grey + Enamel black, clear glass in the middle Handle on the interior: GE540 Rossette on the exterior: ZE Handle on the exterior: GS160-FS

Accessories: EAV3 lock + Fingerscanner on handle



H305

Wood type: oak,

pannel on the exterior and on the interior gnarled veneer - transversal

Colour: E11

Glass: Parsol grey + enamel black, clear glass in the middle Handle on the interior: GE504 Rossette on the exterior: ZA Handle on the exterior: GR180 Accessories: EAV3 lock + Keypad CT1









H310

Wood tyoe: European larch, pannel on the exterior and on the interior gnarled veneer - transversal, side element on the interior gnarled veneer - transversal

Colour oil

Glass: Parsol grey + Enamel black,

clear glass in the middle

Handle on the interior: GE540

Rossette on the exterior: ZAR Handle on the exterior: D55QE (quer)

Side element: ST03

Glass side element: Parsol grey + enamel black, clear glass in the middle



Wood type: spruce
Colour on the interior: F00
Frame colour on the exterior: RAL7021
Glass: Parsol grey + Enamel black, clear glass in the middle
Handle on the interior: GE504
Rossete on the exterior: ZAR
Handle on the exterior: GR-LA
Side element: ST03
Glass side element: Parsol grey + Enamel black, clear glass in the middle
Accessories: EAV3 lock+ Fingerscanner FS1



H306

Wood type: spruce;
panel on the exterior & on the interior gnarled,
combed veneer – transversal
Panel colour: antique spruce wood – effect (Protor-Finish)
Glass element on the exterior: transparent glass + black enamel
(no cut for glass)
Frame colour: RAL7021
Handle on the interior: GE540
Rosette on the exterior: SZE
Handle on the exterior: SQ160
Accessories: EAV3 lock + Fingerscanner FS1S



H309

Wood type: spruce Colour on the interior: F00 Frame colour on the exterior: RAL7021 Glass: parsol grey + enamel black, middle glass transparent Handle on the interior: GE504 Rosette on the exterior: ZAR Handle on the exterior: D39

The glass glows while reflecting the entire range of colours, enabling light to enter the premises.



Wood type: oak, panel on the exterior on the side of hinges covered with decorative rails - upright Colour: E12 Glass element on the exterior: transparent glass + black enamel Handle on the interior: GE540 Rosette on the exterior: ZAR Handle on the exterior: GS-LA (panel length) Accessories: EAV3 lock + keypad CT1







H412

Wood type: oak (vintage imitation)

pannel on the exterior: massive old wood application, Typ 2E quer

Colour oil

Glass-application on the exterior: Parsol grey + Enamel black

Handle on the interior: GE540 Rossette on the exterior: ZAR

Handle on the exterior: GS-TL

Side element: ST03

Glass side element: Parsol grey + Enamel black, clear glass in the middle

Special model: aluminium elements on the exterior in RAL7021



Wood type: spruce Colour: F17 Glass: motif 504 on transparent glass Handle: GE94 Cill: W1 Side element: ST02 Glass Side element: motif 504S on transparent glass Accessories: EAV3 lock + Fingerscanner FS1



H502

Wood type: European larch Colour: L12 Glass: Altdeutsch white Handle: GE86 Cill: W5



H512

Wood tyoe: oak Colour: E13 Glass: Uadi white Handle: GM70 Cill: W1

Wood tyoe: oak Colour: E17 Glas: Ornament 504 white Handle: GM57 Cill: W1



H513

Wood type: oak Colour: E11 Glass: stained glass 500 Handle: GM60 Cill: W1







H503

Wood type: oak COlour: E11 Glass: cathedral white Handle: GE89 Cill: W1 Side element: ST02 left and right Glass side element: cathedral white Accessories: EAV3 lock+ Fingerscanner FS1



Wood type: spruce Colour: F13 Glass: Motif 507 on clear glass Handle: GE89 Cill: W1

Accessories: EAV3 lock + keypad CT1



H510

Wood tyoe: oak Colour: E14 Handle: GSE1 Cill: W1



H509

Wood tyoe: European larch Colour: L11 Glass: Ornament 504 white Handle: GSE1 Cill: W1



H551

Wood type: European larch Colour: L12 Glass: Uadi white Handle: GSE1 Cill: W1

The consistent design goes hand in hand with the warmth, timeless beauty and durability.



H402

Wood type: oak (vintage imitation); massive old wood application on the exterior, Typ 2E

Colour: oil Handle: GSE1



H550

Wood type: spruce Colour: F19 Handle: GSE1 Cill: W1



H410

Wood type: spruce (vintage imitation); massive old wood application on the exterior, Typ 3B Colour on the interior: F00 Glass: Altdeutsch white Handle: GM70 Cill: W7S Accessories: EAV3 lock + Fingerscanner FS1S, cross-bars H410 black glass frame on the exterior RAL9005







Wood type: European larch Colour L12 Handle: GSE1 Glass: Chinchilla white

W00D -SIDE ENTRANCE DOOR

Standard model:

spruce (optional oak, larch) Wood type:

width from 1100 mm, height from 2100 mm OKFF Frame dimmensions:

Panel / Frame thickness: 68 mm / 68 mm, multi-layered sheet made of a frame from solid wood and veneered multi-layered sheets

Glazing: ISO-Wärmeschutzglas, Ug=1.1 W/m2K, Glass group 1

Filling: ISO-Wärmegedämmte Füllung 29 mm, außen mit Abplattung

Seal: Seals in frame and panel Hinges: 3D adjustable, Ø 20 mm, silver

3-point locking with hooks, DIN 92/10 mm, silver Lock:

Treshold: TB75, thermally insulated

Surface coating: single-colour thick-layered coating from standard colour charts Profile cylinder: regular profile cylinder PZ1 with 6 keys and N+G function

Special accessories: upon request Special model: upon request

from 1,8 W/m2K (spruce) Ud value:

So that your house will be perfect also on the "second look"


The side entrance doors are simpler in shape, yet they are distinguished by quality craftsmanship, safety and full functionality, at the same time, they are more affordable than front doors. This makes them ideal choice for auxiliary entrances, for passage to the garage, door to the boiler room or basement doors, and are also useful as multi-purpose doors for separate smaller ones facilities and garages or for garden houses. We present a wide range of models of side entrance doors by we can match the color and function of your front door.

Important notice: when using the side door

follow our recommendations from the enclosed instruction booklet for installation, maintenance and care of doors. Also observe the CE properties side doors, as the doors are intended primarily for installation in unheated and uninhabited spaces.

Also observe the restrictions on dimensions and combinations with other accessories such as locks, hooks, paints, ...

Combinations with side elements or overhead lights are not possible!



HN1 Wood type: spruce Colour: F11 Handle: GE92



HN₂

Wood type: spruce Colour: RAL7021 Handle: GE92 Glass: Satinato weiß



HN4

Wood type: spruce Colour: F16 Handle: GE92 Glass: Orn. 504 weiß



HN4

Wood type: spruce Colour: F13 Handle: GE92 Glass: Orn. 504 white



HN5 Wood type: spruce Colour: F18 Handle: GE92 Glass: Orn. 504 white




HN₆

Holzart: oak Colour: E13 Handle: GSE1 Glass: Orn. 504 white











WOOD-ALUMINIUM ENTRANCE DOOR

CONVINCING ADVANTAGES

Exceptional protection against the weather and only simple care required. Exterior aluminium is robust and offers good protection against rain and snow. Aluminium elements are simple to clean and require minimal care only.


Natural atmosphere, beauty and an optimal feeling for your home. Wood has a lively texture on the interior side of the door and provides for the best quality of accommodation and a natural atmosphere of the premises. A convincing design places the entrance door as an irreplaceable unique element in your precious space. The interior side of the doors is available in different colours and wood types. Therefore, the door can be aesthetically adapted to match elements in the room.

Exceptional structure.

A wood-aluminium entrance door has none of the hollow elements featured in aluminium doors through which water condensation can enter. Doors made from a combination of wood and aluminium have the best environmental profile as they are made from a renewable material – wood.

The option to select high-insulation models In addition to standard models, low-energy or passive door models are also available.

A high level of heat insulation, optimal sound insulation and top safety.






HA146 P.54














The natural warmth of interior wood for top quality of accommodation and robust, weather resistant exterior aluminium. Only wood-aluminium entrance doors offer this.

STANDARD MODEL AND STRUCTURE







	MODERN	VETRO	CLASSIC	
Group models	HA101,	HA301,	HA501,	
Panel model	46 - 59	60 - 63	64 - 67	
Page in the catalogue	83 mm	83 mm (87 mm Modell)	83 mm	
Frame thickness	73 mm	73 mm (77 mm Modell)	73 mm	
Panel thickness	Standard (optional Allwetter)	Standard (optional Allwetter)	Standard (optional Allwetter)	
Panel model	3-layers, Ug = 0,7 W/m ² K	3-layers, Ug = 0,7 W/m ² K	3-layers, Ug = 0,7 W/m ² K	
Glass	Ornament Glass group 1	exterior Parsol grey ESG + enamel/ interior clear glass ESG	Ornament Glass group 1	
Cills	without	without	stainless steel W6	
Application (stainless steel, wood etc.)	only on the exterior	without	decorative moulding and pre-sheet of filling only on the exte	
Profiles for glass	only on the interior, flush	without	only on the interior (for certain models on the exterior as well)	
Seal	3	3	3	
Lock	3-point hookLock M2	3-point hookLock M2	3-point hookLock M2	
Hinges	3D adjustable	3D adjustable	3D adjustable	
Threshold	heat insulated TB90	heat insulated TB90	heat insulated TB90	
Heat transfer Ud	from 1,2 W/m ² K (wood type spruce)	from 1,2 W/m ² K (wood type spruce)	from 1,2 W/m ² K (wood type spruce)	

Allgemeine Standardausstattung:


- · wood types: spruce, oak, European larch
- standard sheet for the panel = composed of a special multi-layered sheet made of a frame from solid wood and veneered multi-layered sheets with a steam barrier. Integrated stabilisers made from carbon fibres on the side of the lock prevent bending and the insulation core provides excellent heat transmission of the sheet UP = 0,96 W/m2K (spruce wood).

The panel is covered on the exterior with an aluminium sheet, DECO panel or enamelled glass

- · elements from stainless steel or wood and decorative moulding only on the exterior
- surface processing single-colour thick-layered glazing of wooden parts from the standard colour charts
- surface processing for aluminium parts single-colour powder coating from standard dust colour charts
 without handles and rosettes (exterior and interior handles, rossetts), regular profile cylinder PZ1 with 6 keys and N+G function

Option available for an additional charge:

· Allwetter sheet for the panel - additional aluminium strengthening strips on the side of the lock for improved panel stability other properties identical to the Standard model









1 014	A Section	S Design	OSE	0.75
IOW	/ I~I\	11 H H	I = V	36 %

HA101,.....HA301,.....HA501 46 - 67 100 mm (VETRO 104 mm) 90 mm (VETRO 94 mm) low energy 3-layers, Ug = 0,7 W/m²K, Orn. Glasgruppe 1 (VETRO Parsol grey + enamel) without only on the exterior

depending on the model 3-fach mit Haken 3D adjustable heat insulated TB100

from 1,0 W/m2K (wood type spruce)

FLUSH** 85

HA101,.....HA301,.... 46 - 63 90 mm (VETRO 94 mm) 90 mm (VETRO 94 mm) low energy 3-layers, Ug = 0,7 W/m²K, Orn. Glass group 1 (VETRO Parsol grey + enamel) without

only on the exterior only on the interior, flush 3-point hookLock M2 hidden, 3D adjustable

heat insulated TB52 from 1,0 W/m2K (wood type spruce)

PASSIV 100

HA101,.....HA301,.....HA501 46 - 67 115 mm (VETRO 119 mm) 105 mm (VETRO 109 mm) Passiv 3-layers, Ug = 0,7 W/m2K, Orn. glass group 1 (VETRO Parsol grey + enamel) without only on the exterior depending on the model 3-point hookLock M2

HA101,.....HA301,.... 46 - 63 105 mm (VETRO 109 mm) 105 mm (VETRO 109 mm) Passiv 3-layers, Ug = 0,7 W/m²K, Orn. glass group 1 (VETRO Parsol grey + enamel) without only on the exterior only on the interior, flush 3-point hookLock M2 hidden, 3D adjustable heat insulatedTB75 + ABD

from 0,9 W/m2K (wood type spruce)

• Ultrahaus sheet for the panel = composed of a special multi-layered sheet made of a frame from solid wood and veneered multi-layered sheets with a steam barrier. Integrated stabilisers made from carbon fibres on the side of the lock prevent bending and the insulation core provides excellent heat transmission of the sheet UP = 0,77 W/m2K (spruce wood).


3D adjustable

heat insulated TB75 + ABD

from 0,9 W/m2K (wood type spruce)

• Thermosafe sheet for the panel = composed of a special multi-layered sheet made of a frame from solid wood and veneered multi-layered sheets with a steam barrier. Integrated stabilisers made from carbon fibres on the side of the lock prevent bending and the insulation core provides excellent heat transmission of the sheet UP = 0.59 W/m2K (spruce wood).

** Attention - in flush models (panel and frame on the same plane), technical and atmospheric conditions may result in differences between the flush effect of the panel and the frame. The panel is usually a few millimetres higher than the frame. Owing to the arrangement of the fittings and the precision of installation, the gap between the panel and the frame may be uneven.



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7016 Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: HG1-140 Side element: ST04 Glass side element: Satinato white Special model: panel and frame on the exterior & on the interior flush



HA101

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: Quartz 2 FS Handle on the interior: GE504 Rosette on the exterior: ZAR Handle on the exterior: V10Q Accessories: EAV3 lock+ keypad CT1



HA101

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9007 FS Handle on the interior: GE504 Rosette on the exterior: ZAR Handle on the exterior: V120 Accessories: EAV3 lock + Fingerscanner FS1



VIEW ON THE INTERIOR - large selection of various types of wood and colours



Panel veneered upright



Panel veneered transversal



European larch Panel veneered upright



Oak gnarled Panel veneered upright



European larch gnarled Panel veneered transversal



Spruce old wood effect brown, Panel veneered transversal, frame RAL7016

Enjoy nature in its finest form through a rich wood texture, which may be transversal or longitudinal.



HA101

Wood type: spruce, oak, European larch Colour of wood on the interior, coating from the colour chart Colour of aluminium on the exterior: DB703 FS Colour of the panel on the exterior: DECO 0427 concrete Handle on the interior: S640 Rosette on the exterior: SZE Handle on the exterior: SQ160 Side element: ST03 Glass side element: Parsol grey + enamel black, clear glass in the middle



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of Alu on the exterior: DB703 FS Handle on the interior: GE504 Rosette on the exterior: ZAR Handle on the exterior: VK180 (DB703) Side element: ST04 Glas Seitenteil: Satinato white Accessories: EAV3 lock + Fingerscanner FS1 Special model: panel and frame on the exterior & on the interior flush



HA101

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9007 FS Handle on the interior: GE504 Rosette on the exterior: SZAR Handle on the exterior: VK150 (RAL9005) Accessories: EAV3 lock+ Fingerscanner FS1S



HA101


Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7021 Colour of pannel on the exterior: DECO 5171 light oak Handle on the interior: S640 Rosette on the exterior: SZAR Handle on the exterior: SQ160

The innovative, individual and modern design distinguishes your entrance door from the average.



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: DB703 FS Decor colour on the exterior: DECO 5173 old oak Handle on the interior: GE504 Rosette on the exterior: ZAR Handle on the exterior: V60Q (quer) Side element: ST04 Glass side element: Motiv 103D on cler glass Accessories: sandblasted house number







HA103

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: Antico grey Handle on the interior: GE504 Rosette on the exterior: ZAR Handle on the exterior: HG2E-TL Side element: ST04 Glass side element: Satinato white Accessories: EAV3 lock + Fingerscanner FS1



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9006 FS Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: GS120 Side element: ST04 Glass side element: Motif 105S on clear glass Accessories: EAV3 lock + keypad CT1



HA141

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: Sparkling Iron FS Decor colour on the exterior: DECO 0429 antique iron Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: GR180 Side element: ST04 Glass side element: Satinato white



HA106E

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7016 Metal applications only on the exterior Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: GS160-FS Side element: ST04 Glass side element: Motif 106S on clear glass Accessories: EAV3 lock + Fingerscanner on handle

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: RAL7015 Handle on the interior: GE504 Scratch protection on the exterior: KSE+ZAR Handle on the exterior: GR80 Cill: W7

Side element: ST04

Glass side element: Motif 4S on clear glass



HA197E

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: Quartz 2 FS Metal applications only on the exterior, RAL9005 Handle on the interior: S604 Rossette on the exterior: SZAR Handle on the exterior: SD160 Side element: ST04 Glass side element: Satinato white







Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9007 glatt Colour of the panel on the exterior: DECO 0427 concrete Metal applications only on the exterior

Handle on the interior: GE504

Rossette on the exterior: ZAR Handle on the exterior: GR160 Cill: W7

Side element: ST04

Glass side element: Satinato white

Accessories: EAV3 lock + Fingerscanner FS1



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7035 Decor colour on the exterior: DECO 0927 Altkiefer Glass: Motif 108B on clear glass Handle on the interior: GE540 + rossette on the exterior: ZAR Handle on the exterior: GS150-FS Cill: W7 Side element: ST04

Glass side element: Motif 108BS on clear glass Accessories: EAV3 lock + Fingerscanner on handle



HA148

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7021 Glass: Linea white Handle: GE89



HA148

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: Sparkling Iron FS Glass: Motif 148 on Satinato white Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: D39 Accessories: EAV3 lock + Fingerscanner FS1 sandblasted family name Special model: panel and frame on the exterior & on the interior flush

Minimalistic, simple and with clean lines, entrance doors reflect the special style of the owner.



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior (3D Relief): RAL9006 FS Decor colour on the exterior: DB703 FS Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: GQ160 Accessories: EAV3 lock + Fingerscanner FS1 Special model: panel and frame on the exterior & on the interior flush



WOOD ALU MODERN



HA191E

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: RAL7015 Decor colour on the exterior: DECO 5173 Alteiche Metal applications only on the exterior, RAL9005 Handle on the interior: S640 Rossette on the exterior: SZAR Handle on the exterior: SQ160 Side element: ST04 Glass side element: Satinato white Accessories: EAV3 lock + Fingerscanner FS1S



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7012 Decor colour on the exterior: DECO 5173 old oak Glass: Motif 111 on clear glass Handle on the interior: GE504 + rossette on the exterior ZAR Handle on the exterior: GR150-FS CIII: W7 Side element: ST04 Glass side element: Motif 111S on clear glass

Accessories: EAV3 lock+ Fingerscanner on handle



HA109

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7015 Glass: Pave white

Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: GS-LA Side element: ST04

Glass side element: Pave white



HA146

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9007 Glass: Motif 146 on clear glass Handle on the interior: GE504 Rossette on the exterior: ZAR

Handle on the exterior: VK-LA (RAL9007) Side element: ST04

Glass side element: Motif 146S on clear glass Accessories: EAV3 lock + Fingerscanner FS1

Special model: panel and frame on the exterior & on the interior flush

HA125E

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: RAL7016 Metal application only on the exterior Glass: Motif 125 on clear glass Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: HG1-120

Cill: W7

Side element: ST04

Glass side element: Motif 125S on clear glass



HA147

Holzart: nach Wahl Farbe Holz innen: Lasur nach Farbkarte Farbe Alu außen: HFM22 FS Glass: Motif 147 on clear glass Handle on the interior: GE504 Rossette on the xterior: ZAR Handle on the exterior: GR160 Cill: W7 Side element: ST04 Glass side element: Motif 147S on clear glass Accessories: sandblasted house number







HA116E

Holzart: nach Wahl Farbe Holz innen: Lasur nach Farbkarte Farbe Alu außen: RAL7015 Decor colour on the exterior: DECO 0927 Altkiefer Metal application only on the exterior Glass: Motif 116 on clear glass Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: GS160 Side element: ST04 Glass side element: Motif 116S on clear glass Accessories: EAV3 lock + Fingerscanner FS1



HA150E

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9007 FS Metal applications only on the exterior Glass: Pave white Handle on the interior. GE540 Scratch protection rossette on the exterior: KSE+ZAR Handle on th eexterior: HG1-120 Side element: ST04 Glass side element: Pave white



HA122

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9016 Glass: Satinato white Handle on the interior: S640 Rossette on the exterior: SZAR Handle on th exterior: SQ160 Accessories: EAV3 lock + Fingerscanner FS1S



HA153

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9006 FS Glass: Satinato white Handle on the interior: GE504 Rossete on the exterior: ZAR Handle on the exterior: HG2-LA


> Doors are linked to the natural need to arrange and delineate space.



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: RAL7015 Glass: Satinato white Handle on the interior: GE504 Rossette on th exterior: ZAR Handle on the exterior: GR160 Cill: W7 Side element: ST04 Glass side element: Motif 5S on clear glass

Accessories: EAV3 lock + Fingerscanner FS1







HA122E

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: DB703 FS Metal applications only on the exterior Glass: Satinato white Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: D55QE (quer) Side element: ST04 Glass side element: Satinato weiß Accessories: EAV3 lock + keypad CT1



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: HFM22 FS Glass: Motif 192 on clear glass Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: GQ160 Side element: ST04 Glass side element: Motif 192S on clear glass Accessories: EAV3 lock + keypad CT1



HA121E

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: DB703 FS Metal applications only on the exterior Glass: Satinato white Handle on the interior: GE540 Rossette on the exterior: ZAR Handle on the exterior: GS160-FS Accessories: EAV3 lock + Fingerscanner on handle



HA126

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL7036 Glass: Satinato white Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: GR-LA

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: DB703 FS Glass: Satinato white Handle on the interior: GE540

Rossette on the exterior: ZAR Handle on the exterior: GS150-FS

Accessories: EAV3 lock + Fingerscanner on handle



HA194

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: RAL7016 Dekor on the exterior: DECO 5173 Alteiche Glass: Motif 194 on clear glass Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: GG194 Cill: W7

Accessories: EAV3 lock + Fingerscanner FS1 metal house number







HA136E

Wood type: spruce, oak, European larch

Colour of wood on the interior: coating from the colour chart

Colour of aluminium on the exterior: RAL7015 / Dekor on the exterior: DECO 0927 Altkiefer

Metal applications only on the exterior

Glass: Motif 136 on clear glass Handle on the interior: GE504

Rossette on the exterior: ZAR Handle on the exterior: GG136

Cill: W7

Side element: ST04

Glass side element: Motif 136S on clear glass





HA301

Wood type: spruce, oak, European larch
Colour of wood on the interior: coating from the colour chart
Colour of aluminium on the exterior: Clear glass + enamel grey RAL7000
Colour Alu frame: RAL9007 FS
Handle on the interior: S640
Rossette on the exterior: SZAR
Handle on the exterior: SQ160
Accessories: EAV3 lock + Fingerscanner FS1S
Special model: panel and frame on the exterior & on the interior flush



HA304

Wood type: spruce, oak, European larch
Colour of wood on the interior: coating from the colour chart
Colour of aluminium on the exterior: DECO 0427 concrete
Colour Alu frame on the exterior: RAL9007 glatt
Glass: Parsol grey + enamel black,
clear glass in the middle
Handle on the interior: GE540
Rossette on the exterior: ZAR
Handle on the exterior: GS180
Accessories: EAV3 lock + keypad CT1

Glass can create exceptional effects in architecture.
It is the material of the new era.



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: RAL9007 FS Glass: Parsol grey + enamel black, clear glass in the middle Handle on the interior: S604 Rossette on the exterior: SZAR Handle on the exterior: SD160 Side element: ST03 Glass side element: Parsol grey + enamel black, clear glass in the middle









HA310

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: DECO 5171 Eiche hell Colour Alu frame on the exterior: DB703 FS Glass: Parsol grey + enamel black, clear glass in the middle Handle on the interior: GE514 Rossette on the exterior: ZAR Handle on the exterior: D55QE (quer) Side element: ST03 Glass side element: Parsol grey + enamel black, clear glass in the middle Accessories: EAV3 lock + Fingerscanner FS1



Wood type: spruce, oak, European larch
Colour of wood on the interior: coating from the colour chart
Colour of aluminium on the exterior: Glass Parsol grey enamel black
Handle on the interior: GE504
Rossette on the exterior: ZAR
Handle on the exterior: VK150L (LED lighting, RAL9005)
Side element: ST09
Glass side element: Parsol grey + enamel black,
clear glass in the middle
Special model: panel and frame on the exterior & on the interior flush,
frame on the exterior enamel coating



HA306

Wood type: spruce, oak, European larch
Colour of wood on the interior: coating from the colour chart
Colour of aluminium on the exterior: RAL7021
Colour of pannel on the exterior: DECO 5173 old oak
Glass-application on the exterior: clear glass + enamel black
Handle on the interior: S640
Rossette on the exterior: SZE
Handle on the exterior: SQ160
Accessories: EAV3 lock + Fingerscanner FS1S



HA320

Wood type: spruce, oak, European larch
Colour of wood on the interior: coating from the colour chart
Colour of aluminium on the exterior (3D Relief): RAL9006 FS
Glass: Parsol grey + enamel black,
clear glass in the middle
Handle on the interior: GE514
Rossette on the exterior: ZAR
Handle on the exterior: D55QE (quer)
Accessories: EAV3 lock + Fingerscanner FS1
Special model: panel and frame on the exterior & on the interior flush

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: DB703 FS Glass: Parsol grey + enamel black, clear glass in the middle Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: HG1-120 Accessories: EAV3 lock + keypad CT1



HA309

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour cha Colour of aluminium on the exterior: DB703 FS Glass: Parsol grey + enamel black, clear glass in the middle Handle on the interior: GE504 Rossette on the exterior: ZAR Handle on the exterior: D39







Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of alu frame on the exterior: DB703 FS Colour of pannel on the exterior: DECO 0927 Altkiefer Glass-application on the exterior: Parsol grey + enamel black Handle on the interior: GE540

Rossette on the exterior: ZAR Handle on the exterior: GS-TL Side element: ST03

Glass side element: Parsol grey + enamel black, clear glass in the middle



Wood type: spruce, oak, European larch
Colour of wood on the interior: coating from the colour chart
Colour of aluminium on the exterior: HFM22 FS
Glass: Motif 501 on clear glass
Handle: GM60
Cill: W6
Side element: ST04
Glass side element: Motif 501S on clear glass
Accessories: EAV3 lock + Fingerscanner FS1



HA514

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL6005 Glass: Altdeutsch white Handle: GE89 Cill: W6



HA512


Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL8017 Glass: Marmo white Handle: GE89 Cill: W6 Accessories: EAV3 lock + keypad CT1

We are reinterpreting classic designs by using a combination of tradition and timeless design.



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: Quartz 2 FS Glass: Bleiverglasung B500 Handle: S694 Cill: W6S Accessories: EAV3 lock + Fingerscanner FS1S







HA503

Wood type: spruce, oak, European larch Colour of wood on the interior: colourless coating from colour chart Colour pannel on the exterior: RAL9016 Colour Alu frame on the exterior: RAL6005 Colour Ornament-frame and filling on the exterior: RAL6005 Glass: Altdeutsch white Handle: GE89 Cill: W6 Side element: ST05



Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exteriorn: RAL7035 Glass: cathedral white Handle: GE89 Cill: W6



HA507

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL9007 FS Glass: Motif 507 on clear glass Handle: GE89 Cill: W6 Accessories: EAV3 lock + Fingerscanner FS1



HA509

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL6005 Glass: Chinchilla white Handle: GSE1 Cill: W6



HA551

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: RAL8003 Glass: Altdeutsch white Handle: GSE1 Cill: W6 Accessories: EAV3 lock + keypad CT1

Wood type: spruce, oak, European larch Colour of wood on the interior; coating from colour chart Colour of aluminium on the exterior: RAL8017 Handle: GSE1

Cill: W6



HA553

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: Quartz 2 FS Handle: GSE1 Cill: W6S



HA550

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from colour chart Colour of aluminium on the exterior: RAL8003 Handle: GSE1 Cill: W6S



HA552

Wood type: spruce, oak, European larch Colour of wood on the interior: colourless coating from colour chart

Pannel colour in the exterioe: DECO 5173 Alteiche Frame colour on the exterior: RAL9005 Glass frame colour on the exterior: RAL9005 Glass: Altdeutsch white

Handle: GM70

Accessories: EAV3 lock + Fingerscanner FS1S, cross-bars H410 black







HAN7

Wood type: spruce, oak, European larch Colour of wood on the interior: coating from the colour chart Colour of aluminium on the exterior: DB703 FS Glass: Uadi white Handle: GE92

WOOD-ALUMINIUM SIDE ENTRANCE DOOR

Standard model:

Wood type: spruce (optional oak, larch)

Frame dimmensions: width from 1100 mm, height from 2100 mm OKFF

Panel / Frame thickness: 82 mm / 83 mm, multi-layered sheet made of a frame from solid wood + Aluminium Profil

Glazing: ISO-insulated glass, Ug=1,1 W/m²K, Glasgruppe 1

Filling: ISO-insulated filling 29 mm, on exterior coverd with 2,5mm Aluminium

Dichtung: Double sealing in frame and one in the panel

Hinges: 3D adjustable, Ø 20 mm, silver,

Lock: 3-point locking with hooks, DIN 92/10 mm, silver

Treshold: TB90, thermally insulated

Surface coating wood: single-colour thick-layered coating from standard colour charts

Surface coating Alu: single-colour powder coating from standard colour charts (Farb group 1)

Profilzylinder: regular profile cylinder PZ1 with 6 keys and N+G function

Special accessories upon request Special model: upon request

Ud-value: from 1,8 W/m²K (spruce)

So that your house will be perfect also on the "second look"

The side entrance doors are simpler in shape, yet they are distinguished by quality craftsmanship, safety and full functionality, at the same time, they are more affordable than front doors. This makes them ideal choice for auxiliary entrances, for passage to the garage, door to the boiler room or basement doors, and are also useful as multi-purpose doors for separate smaller ones facilities and garages or for garden houses. We present a wide range of models of side entrance doors by we can match the color and function of your front door.

Important notice: when using the side door

follow our recommendations from the enclosed instruction booklet for installation, maintenance and care of doors. Also observe the CE properties side doors, as the doors are intended primarily for installation in unheated and uninhabited spaces.

Also observe the restrictions on dimensions and combinations with other accessories such as locks, hooks, paints, ...

Combinations with side elements or overhead lights are not possible!



HAN1

Wood type: spruce, oak, European larch Colour wood (interior): coating from colour chart Colour ALU (exterior): RAL7015 Handle: GE92



HAN2

Wood type: spruce, oak, European larch Colour wood (interior): coating from colour chart Colour ALU (exterior): RAL8017 Handle: GE92 Glass: Satinato white



HAN3

Wood type: spruce, oak, European larch Colour wood (interior): coating from colour chart Colour ALU (exterior): RAL7016 Handle: GE92 Glas: Orn. 504 white



HAN4

Wood type: spruce, oak, European larch Colour wood (interior): coating from colour chart Colour ALU (exterior)): RAL7035 Handle: GE92 Glass: Orn. 504 white



HAN5

Wood type: spruce, oak, European larch Colour wood (interior): coating from colour chart Colour ALU (exterior): RAL8003 Handles: GE92 Glass: Orn. 504 white



HAN6

Wood type: spruce, oak, European larch Colour wood (interior): coating from colour chart Colour ALU (exterior): RAL8017 Handles: GSE1 Glas: Orn. 504 white











DOOR ACCESSORIES

TECHNICAL INFORMATION AND DOOR ACCESSORIES

A wide variety of top-notch accessories enable you to apply a combination of materials, colours, glass, side elements and fanlights to design your unique entrance door made in the dimensions you desire.

Security doors can be made in three anti-burglary categories: RC1, RC2 and RC3, which burglars tend to avoid.

Please note that your seller will be able to make calculations for doors having height of up to 2700 mm and width of 1250 mm. Larger elements can be produced in line with a special offer

A new offer is four colour shades (PFS9006, PFS9007, PFS7016 and PFS703) featuring a metallic effect on wood. It entails a top-notch concept of particularly resistant paints Protor Finish manufactured by ADLER, which specialises in wood protection.

The appearance of wood will remain the most natural if only oil is used for coating. If oil or colourless glazing is used on the exterior side of the door, please consult your seller about the limited protection and maintenance of wood.

New decorations of DECO panels with optics of concrete, oxygenated surfaces and four types of wood require even less in terms of maintenance than aluminium and offer even better resistance against scratches. Handles or knobs having an important effect on appearance and functionality of doors look best on the door.

You can determine the final appearance of your new door by selecting glass, elements in the form of moulding or made from stainless steel and LED lights.

STANDARD MODEL: H111E

- wood of spruce, oak, European larch (panel veneered upright)
- Single-colour coating from standard colour charts
- double glazed glass, Ug = 1,1 W/m2K, glass patterns on the exterior, group 1
- cill W7, stainless steel, flush on the exterior, height of 85 mm (depends on the model)
- elements from stainless steel (decorative moulding) only on the exterior
- THERMAL INSULATED THRESHOLD aluminium on the exterior, silver colour, plastic on the interior, silver colour
- AUTOMATIC DOORS BOTTOM between the panel and the threshold, adjusted by using a hex key
- 3-point locking with hooks 3D adjustable, zink coating
- REGULAR PROFILE CYLINDER PZ1 Lockable from both sides with emergency and alarm function (N+G), 6 keys (no warranty to work in the long term)





Detail: Standard-pannel with streghtening

10

View from the exterior



Option available for an additional charge:

Allwetter sheet for the panel additional aluminium strengthening strips on the side of the lock for improved panel stability other properties identical to the Standard model



View from interior

SPECIAL MODEL / ACCESSORIES / AGAINST ADDITIONAL PAYMENT:

- two-colour element on the exterior (decoration on the side of the lock)
- sandblasted motif on transparent glass
- safety rosette ZA on the exterior
- exterior handle GR80
- handle on the interior GE504
- EAV3 locking system with Fingerscanner FS1


STANDARD MODEL HA111E

- wood of spruce, oak, European larch (panel veneered upright)
- Single-colour coating from standard colour charts
- aluminium powder coating from standard colour charts
- triple glazed glass, Ug = 0,7 W/m²K, TGI black, Ornament in the middlec, Glass group 1
- elements from stainless steel (decorative moulding) only on the exterior
- Rossette on the exteriorZAR
- THERMAL INSULATED THRESHOLD aluminium on the exterior, silver colour, plastic on the interior, silver colour
- AUTOMATIC DOORS BOTTOM between the panel and the threshold, adjusted by using a hex key
- 3-point locking with hooks 3D adjustable, zink coating
- REGULAR PROFILE CYLINDER PZ1 Lockable from both sides with emergency and alarm function (N+G), 6 keys (no warranty to work in the long term)

SPECIAL MODEL / ACCESSORIES / AGAINST ADDITIONAL PAYMENT:

- two-colour element on the exterior (decoration on the side of the lock)
- sandblasted motif on transparent glass
- exterior handle GR80
- handle on the interior GE504
- cill W7, stainless steel, flush on the exterior, height of 85 mm
- EAV3 locking system with Fingerscanner FS1





View from exterior



Option available for an additional charge:

Allwetter sheet for the panel additional aluminium strengthening strips on the side of the lock for improved panel stability. other properties identical to the Standard model.



View from interior

STANDARD MODEL & ACCESSORIES







3-POINT LOCKING WITH HOOKS; two strong (conical) hooks up and down, individual keep elements on the frame for hooks and latch, silver galvanised







DSL - HIDDEN KEEP RAIL (Optional) Continuous and concealed, silver galvanised, increased security





STANDARD HINGE 3D adjustable, capacity 160 kg, diameter 20 mm, silver galvanised





HIDDEN HINGE (standard only with flush versions) 3D adjustable, capacity180 kg, silver galvanised



BAU-PROFILZYLINDER PZ1; Lockable from both sides with emergency and alarm function (N+G), 6 keys (no warranty to work in the long term)

TECHNICAL INFORMATION

DOOR TYPES - EXTERIOR VIEW - OPENING



(exterior view)

standard model

RIGHT INWARDS


(exterior view)

standard model

Opening on the exterior: BY ORDER

STANDARD MODEL:

Production in a single piece together with the side element and fanlight possible up to the maximum dimensions of 2700 x 2700 mm












*SPECIAL MODEL (by order)











VIEW FROM INTERIOR



Direction of veneer UPRIGHT standard model



Direction of veneer TRANSVERSAL special model



Decorative moulding on the panel on the interior as well special model



Elements from stainless steel on the interior as well special model



Decorative frames and pre-sheet of fillings on the interior as well special model



Panel and frame flush on the exterior and on the interior special model

New door dimensions!

The appropriate door dimensions must be set by the customer or the architect. Higher and very high doors are thus on offer in addition to standard sizes for an additional charge in maximum height up to 2700 mm and width up to 1250 mm.



XS = smaller doors width up to 949 mm height up to 1999 mm



S = standard door size width 950-1150 mm height 2000-2300 mm



L = large doors width 1151-1250 mm height 2301-2400 mm



XL = high doors width 1151-1250 mm height 2401-2500 mm



XXL = very high doors width 1151-1250 mm height 2501-2700 mm

MODIFICATIONS OF STANDARD DOOR MODEL

TECHNICAL INFORMATION





Each door model can be produced with minor or major modifications!

Examples of modifications:

- without decorative moulding
- without cill
- additional moulding on the panel
- changed position of opening for glass
- additional opening for glass
- changed size of opening for glass
- transversal veneer
- additional elements on the panel
- decorative moulding and pre-sheets of filling also on the interior
- expansion of elements of the frame
- ridge for blind frame

SPRUCE - STANDAR COLOURS



ATTENTION: Colour shades are presented only symbolically and deviate from the actual ones due to printing limitations. The colour shade must in any case be aligned with the applicable colour chart.

GNARLED WOODEN SURFACES



GNARLED EUROPEAN LARCH - OILED 1 (veneer transversal or upright)



GNARLED OAK - OILED ¹ (veneer transversal or upright)



GNARLED OAK - GREY OILED 1
(veneer transversal or upright)



GNARLED OAK - DARK BROWN OILED¹
(veneer transversal or upright)

IMPORTANT INFORMATION!

The arrangement, size and quantity of the gnarls and wood cracks is arbitrary and different for every front door (unique) and is therefore not subject of complaint.

The wood grain runs either upright or tranversal, any deviations from the vertical or horizontal direction are not cause for complaint!

(1) Oiled surfaces on the weather side must be re-oiled 1 - 2 times a year.

Please refer to the information in our operating instructions. The natural graying of the wood depends on the weathering situation and is stronger in the lower area. A steady weathering is unfortunately not achievable. On the weather side, oiled wooden surfaces can only be used in an installation position protected from driving rain and must not be exposed to splash water (e.g. during cleaning the exterior surface). In the construction phase, special attention must be paid to the protection of this noble wooden surface by using appropriate plaster strips, carefully covering, avoiding contact with aggressive building materials (e.g. lime and cement), detergents and tapes. A permanent accumulation of condensated steam must be prevented through adequate ventilation and wiping.



SPRUCE OLD WOOD EFFECT BROWN gnarled, brushed, combed spruce coated with Adler Protor-Finish-BROWN (veneer transversal or upright)



SPRUCE OLD WOOD EFFECT GREY gnarled, brushed, combed spruce coated with Adler Protor-Finish-GREY (veneer transversal or upright)

MASSIVE OLD WOOD APPLICATIONS (POSSIBLE ONLY ON THE EXTERIOR)



Old wood spruce Typ 3A (raw, untreated²) Unterdach-Bretter, lightly brushed, light steamed, handcrafted and patched up with real wood. Transversal or upright structure.



Old wood spruce Typ 3B (raw, untreated²) Sunburned, light brushed, handcrafted and patched up with real wood. Transversal or upright structure.



Old wood spruce Typ 5C (raw, untreated²) Sunburned, light brushed, handcrafted and patched up with real wood. Transversal or upright structure.



Old wood oak Typ 2E (oiled 1)
The visible side is natural, made from cutted old beams, brushed, light cracked sapwood, handcrafted and patched up with real wood. Transversal or upright structure.



Old wood oak Typ 4E (raw, untreated²) Sunburned, cleaned, brushed, handcrafted and patched up with real wood. Transversal or upright structure.

(2) Massive old wood surfaces from Typ 3A, 3B, 5C und Typ 4E are not treated with wood preservatives. All possible damage and changes to the surface of old wood can not be subject of a customer complaint!

COLOUR GROUP 5 - COVERING COLOUR SHADES RAL COLOUR CHART



COLOUR GROUP 6 - SPECIAL COLOURS other colour shades from the RAL colour chart K-7 by order



COLOUR GROUP 7 - SPECIAL COVERING COLOUR SHADES - PROTOR-FINISH-FEINSTRUKTUR



PFS9006 ca. RAL9006 Feinstruktur. Metallic



PFS9007 ca. RAL9007 Feinstruktur, Metallic



PFS7016 ca. RAL7016 Feinstruktur



PFS703 ca. DB703 Feinstruktur. Metallic



Scratch resistance and protection against weather (extended warranty)

ADLER Aquawood Protor Finish ensures a top level of surface resistance. The latest generation of Aquawood Protor Finish coatings is distinguished by its improved resistance to scratches, exceptional hardness and excellent protection against the weather and UV rays. The surface of the coating has properties similar to car varnish and can withstand mechanical loads arising from, for example, keyringsor a shoe kick on the door's surface. Owing to the improved elasticity of the paint layer, it is able to adapt better to the changing natural properties of wood as the base. External wooden surfaces of entrance doors can be completely or in part coated with innovative metallic and structural coatings or even given the appearance of naturally old wood.

ATTENTION: Colour shades are presented only symbolically and deviate from the actual ones due to printing limitations. The colour shade must in any case be aligned with the applicable colour chart.

COLOUR GROUP 1 - STANDARD COLOURS (included in price)

Matte surface:



RAL6005 Tiger 68/50006



RAL7012 Tiger 68/71165



RAL7015 Tiger 68/70728



RAL7016 Tiger 68/70153



RAL7021 Tiger 68/70206



RAL7035 Tiger 68/70185



RAL8003 Tiger 68/60110



RAL8017 Tiger 68/60088



RAL8019 Tiger 68/60350



RAL9016 Tiger 68/10078

COLOUR GROUP 2 - SPECIAL COLOURS



RAL9006 glatt Tiger 68/90006



RAL9007 IGP 5903E90070F10



ANTICO GRAU glatt Tiger 29/70161



ca.DB703 Tiger 29/70105



ca.RAL9006 Feinstruktur Tiger 29/90146



ca. RAL9007 Feinstruktur Tiger 29/90147



Sparkling Iron Feinstruktur Tiger 68/70186



ca. DB703 Feinstruktur Tiger 68/80045



DM02 Feinstruktur



DM03 Feinstruktur Grimm P2-068-S750-010 Grimm P2-068-S850-010

COLOUR GROUP 3 - SPECIAL COLOURS

Other colour shades from the RAL K7 colour chart are available by order



HFM22 Feinstruktur Tiger 68/60115



Quarz 2 Feinstruktur Axalta AE0341-1122921



RAL3004 FS Feinstruktur Tiger 68/30076



RAL6005 FS Feinstruktur IGP 591TA60050A10



RAL7016 FS Feinstruktur IGP 591TA70160A10

DECO SURFACE - PANEL ON THE EXTERIOR

COLOURS

0427 CONCRETE



0429 ANTIQUE IRON



0927 ANTIQUE PINE



5171 LIGHT OAK



5172 MARSH OAK



5173 OLD OAK

DECO panels (HPL) of ED F type are produced by using the process of lamination in high-pressure presses at high temperature in accordance with the EN 438 standard. Double-strengthened acrylic polyurethane resins provide for extremely high weather resistance of the material

ATTENTION: DECO Panels can only be used on the exterior side of the panel. They can be used as decoration or elements in combination with aluminium. They can also be applied over the entire surface of the panel. They can be used as decoration or elements in combination with aluminium. made from DECO panels. ADVANTAGES: weather resistance, resistance to scratches, simple to clean, resistance to knocks Colour shades are presented only symbolically and deviate from the actual ones due to printing limitations. The colour shade must in any case be aligned with the applicable colour chart.

DECORATIVE GLASS PATTERNS AND COMPOSITION

GLASS GROUP 1 - DECORATIVE GLASS







ATTENTION: always use the real applicable samples of glass when selecting the glass.

PARSOL GREY

CATHEDRAL WHITE

CHINCHILLA WHITE

DECORATIVE 504 WHITE

GLASS GROUP 2 - DECORATIVE GLASS











ALTDEUTSCH WHITE

MARMO WHITE

MASTERCARRE WHITE

LINEA WHITE

SATINATO WHITE

Optional:

GLASS GROUP 3 - DECORATIVE GLASS

GLASS GROPU 4 - SANDBLASTED MOTIF





UADI WHITE

GLASS COMBINATIONS








triple glazing glass decorative glass (middle) / clear glass (interior & exterior) Standard: Serie MODERN (Wood-Alu) Serie CLASSIC (Wood-Alu)






triple glazing glass with enamel Clear glass or Parsol grey + enamel black (exterior)/ Clear glass or satinato white (middle) / Clear glass (interior) Standard: Serie VETRO (wood) Serie VETRO (Wood-Alu)

Enamel grey ca. RAL7000, RAL7016, RAL7035

MOTIF ON CLEAR GLASS (transparent lines)



Serie MODERN (wood) Serie CLASSIC (wood)



M2 - STANDARD 3-point locking 2 hooks silver galvanised (standard)



M4 5 - point locking 4 hooks silver galvanised




AV3 AUTOMATIC WITH DAY/NIGHT SWITCH

3 - point locking 2 hooks, silver galvanised. A daytime latch can be integrated into the latch deadbolt keep to release the door for a certain period of time, much like an electric strike with daytime service mode.



DSL - HIDDEN KEEP RAIL Optional for locks: M2, M4, AV3, EAV3 Continuous and concealed, improved security, silver galvanised (!) not possible with flush version Wood-Alu 85 mm

ACCESS CONTROL SYSTEMS



EAV3 AUTOMATIC LOCKING - ELECTRONIC UNLOCKING 3-point locking, 2 hooks, silver galvanised + route for cable (breakable) + 12 V transformer

An automatic locking function occurs as soon as the door is closed. Unlocking via the connected access control systems; (for example: finger scanner or keypad or with the key.



FS1 FINGERSCANNER

Deco element stainless steel matt Scanner integrated in pannel

- + opening only by placing finger on the scanner
- + two relays
- + manage up to 1.000 fingerprints
- + up to 3 Administrator-Fingers possible
- + blue LED-lighting can be switched off



FS1S FINGERSCANNER

Deco element stainless steel black matt Scanner integrated in pannel





analog control unit. (mounted in the door pannel). Programming possible through buttons on the control unit.



CT1 KEYPAD

Deco element stainless steel matt Keyboard integrated in the pannel

VORTEILE:

- + two relays
- + capacity 100 codes
- + 1 Administrator



CT1S KEYPAD

Deco element stainless steel black matt Keyboard integrated in the pannel



power adapter 12V

OPTIONAL: power adapter 12V with separable cable for connection to 220V





GR-FS rounded handle (Serie GR) with fingerscanner in front L = 600 / 800 / 1000 / 1500 / 1600 / 1800 mm stainless steel matt



GRS-FS rounded handle (Serie GR) with fingerscanner in front L = 600 / 800 / 1000 / 1500 / 1600 / 1800 mm stainless steel black matt



GS-FS angular handle (Serie GS) with fingerscanner in front L = 600 / 800 / 1000 / 1500 / 1600 / 1800 mm stainless steel matt



GSS-FS angular handle (Serie GS) with fingerscanner in front L = 600 / 800 / 1000 / 1500 / 1600 / 1800 mm stainless steel black matt



Pluggable cable transition with analog control unit. (mounted in the door pannel). Programming possible through buttons on the control unit.



PROS:

- + opening only by placing finger on the scanner
- + two relays
- + manage up to 1.000 fingerprints
- + up to 3 Administrator-Fingers possible
- + blue LED-lighting can be switched off



power adapter 12V

OPTIONAL: DIGITAL CONTROL



PROS:

- + can be connected with access control systems: Fingerscanner on door pannel: FS1, FS1S handle with Fingerscanner GR-FS, GRS-FS, GSS-FS
- + control (programming) through smartphone or tablet with free App X-Manager (Google play or App Store)
- + control the course of events
- + setting the relays
- + control LED-lighting (if connected)
- + schedule for users
- + possibility of free transitions mode
- + Import/Export fingerprint database





OPTIONAL: power adapter 12V with separable cable for connection to 220V



SAFETY HANDLES



GA81 Aluminium F1, F4, F9 without cylinder cover



GE92 stainless steel matt without cylinder cover



GE89 stainless steel matt with cylinder cover (ZA)



S689 Edelstahl black matt with cylinder cover (ZA)



IMPORTANT: marked Handle sets and rosettes also available for Swiss Round cylinder (KABA)!

S694 Aluminium black matt with cylinder cover (ZA)



GM57 Brass Robusta Gold F77 without cylinder cover



GM57 Brass blues F73 without cylinder cover



GM60 Brass Antique Iron without cylinder cover



GM70 Brass black matt without cylinder cover



GSE1 Forged, black varnished button shifted, without the cover for the cylinder



SEMI-SET HANDLES WITH ROSETTES (FOR COMBINATIONS WITH PUSH (PULL) HANDLES OR BUTTON)



GE504 stainless steel matt



GE514 stainless steel matt



GE540 stainless steel matt



stainless steel black matt



stainless steel black matt



stainless steel black matt



Light patinated bronze

STAINLESS STEEL ROSETTE ON THE EXTERIOR



ZAR Ordinary RING rosette stainless steel F69 or black coated

(!) only possible for the WOOD-ALUMINIUM model or in combination with protection against scratching or with handle V100



Ordinary round rosette, stainless steel F69



ZA Safety rosette with cylinder cover, stainless steel F69



ZS Ordinary rectangle rosette, stainless steel F69



ZE Safety rosette with cylinder cover rectangle shape stainless steel F69



ZAP Flush - PLANO Safety rosette with cylinder cover (only 1 mm from the level of the panel) stainless steel F69 or black coated



ZEP Flush - PLANO Safety rosette, rectangle shape, with cylinder cover (only 1 mm from the level of the panel) stainless steel F69 or black coated

BLACK COATED ROSETTE ON THE EXTERIOR

SZ



S7AR Ordinary RING rosette stainless steel black matt stainless steel black matt (!) only possible for the WOOD-ALUMINIUM model or in combination with protection against scratching or with handle V10Q.



SZA Ordinary round rosette, Safety rosette with cylinder cover, stainless steel black matt



SZS Ordinary rectangle rosette. stainless steel black matt rectangle shape



SZE Safety rosette with cylinder cover stainless steel black matt



SZAP Flush - PLANO Safety rosette with cylinder cover rosette, rectangle shape, (only 1 mm from the level of the panel) stainless steel black matt of the panel)



SZEP Flush - PLANO Safety with cylinder cover (only 1 mm from the level stainless steel black matt

BRONZE ROSETTE




BZ Standard-rossette on the exterior Light patinated bronze

BUTTON SETS WITH ROSETTES




G2 Fixed button - SHIFTED round, stainless steel F69



Fixed button - SHIFTED rectangle, stainless steel F69



Fixed button - SHIFTED round, stainless steel black matt



Fixed button - SHIFTED rectangle, stainless steel black matt


SERIE ROUND

GR60 (60 cm) GR80 (80 cm) GR120 (120 cm) GR150 (150 cm) GR160 (160 cm) GR180 (180 cm) GR200 (200 cm) GR-LA (Length same as glass) GR-TL (Length same as pannel) stainless steel matt,

SERIE SQUARE



SERIE QUADRO



SERIE BENT



stainless steel matt, Profil ø 30 mm

SERIE BLACK



SQ80 (80 cm) SQ100 (100 cm) SQ160 (160 cm) SQ180 (180 cm)

stainless steel black matt, Profil 30x30 mm

SERIE DESIGN

Profil ø 30 mm



DB80 (80 cm) light patinated bronze Profil 30 mm

D55QE (5x55 cm), quer stainless steel matt

SERIE FS with Fingerscanner



GR-FS

GR180-FS (180 cm)

round handle with Fingerscanner stainless steel or black matt GR60-FS (60 cm) GR80-FS (80 cm) GR100-FS (100 cm) GR150-FS (150 cm) GR160-FS (160 cm)

GS-FS

angular handle with Fingerscanner stainless steel or black matt GS60-FS (60 cm) GS80-FS (80 cm) GS100-FS (100 cm) GS150-FS (150 cm) GS160-FS (160 cm) GS180-FS (180 cm)

SERIE WOOD

HG1-120 (120 cm) HG1-140 (140 cm)

Profil ø 30 mm

End parts 200 mm stainless steel matt

handle middle part oiled oak Profil 40 mm

HG2-LA


(Length same as glass)

HG2-TL

(Length same as pannel)

carriers stainless steel or black matt

handle oiled oak Profil 40 mm



BUILT-IN HANDLE - V



V10Q (15x35 cm), quer stainless steel matt (only with ZAR Rosette)



V40Q (11x40 cm), quer V60Q (11x60 cm), quer Stainless steelmatt



V10QS (15x35 cm), quer Edelstahl schwarz matt (only with SZAR Rosette)



V40QS (11x40 cm), quer V60QS (11x60 cm), quer stainless steel black matt

BUILT-IN HANDLE - SPECIAL MODEL

Integrated Fingerscanner FS1 or FS1S

Possible built in handles: V10Q, V10QS

V40Q, V40QS V600, V600S

Integrated LED-lighting

Possible built in handles: V100, V100S

V400, V400S V60Q, V60QS V40, V40S V60, V60S V80, V80S V120, V120S V150, V150S Serie VK







V40S (11x40 cm) V60S (11x60 cm) V80S (11x80 cm) V120S (11x120 cm) V150S (11x150 cm) stainless steel black matt





pannel) in black or in the same colour as pannel





VK80LED (80 cm) VK120LED (120 cm) VK150LED (150 cm) VK180LED (180 cm) VK-TL-LED (Length same as pannel)

inkl. LED Beleuchtung in black or in the same



colour as pannel VK-built in handles avaliable only with Wood-Alu door (depends on the model)



IMPORTANT: Swiss-round cylinder (KABA); by order

PZ2 SAFETY PROFILE CYLINDER N+G function, 6 keys



PZ2-K SAFETY PROFILE CYLINDER WITH BUTTON N+G function, 6 keys



PZ3 SAFETY PROFILE CYLINDER N+G function, 6 keys, security card



PZ3-K SAFETY PROFILE CYLINDER WITH BUTTON N+G function, 6 keys, security card



ETÖ - electric- door opener with daily drop and cable Combination with AV3 and EAV3lock is not possible!



TS1 - PEEP-HOLE brass chrome polished



TSK - DIGITAL PEEP-HOLE WITH CAMERA brass chrome polished 3,2" Display



SENSOR OF CLOSED DOORS
A simple sensor installed above in the ridge between the panel and the frame..
Feedback information: doors are closed.



LATCH SWITCH CONTACT Installed in the keyway. Its activated through the bolt in the lock. Feedback: Door locked manually or mechanically!




OTS1
Door closer with slide rail and mechanical hold-open device
Color F1 (Alu silver)



0TS2Concealed door closer with a mechanical stopper Avaliable only for pannel width up to 1100 mm!



PROTECTION OF HINGES
2 pieces, installed on the hinge side, steel silver galvanised



LATCHDoor stopper with ETÖ
Installed above!



HINGES BAKA4010 -SPECIAL COATING COLOURS

- stainless steel matt
- white varnished
- black varnished



DECORATIVE HINGE CAPS

- matte chrome colour
- white colour
- golden colour
- blued (brown) colour



SCRATCH PROTECTION -KSE +ZAR Rosette

Flush with the panel, including the ZAR rosette, 90X90 mm, stainless steel matte






For further accessories see price list. Technical changes and misprints are reserved.

Color deviations from the original are possible due to printing conditions. Please match your shade with a valid one from color chart.

DOOR models are protected by copyright.

SCRATCH PROTECTION KSR +ZAR Rosette

Flush with the panel, including the ZAR rosette, 100X160 mm, stainless steel matte



LED DIODES (LIGHTING) IN THE PANEL Provided with a route for cable and transformer; white light. Number of pieces of your choice or model



HOUSE NUMBER Made from stainless steel, height 130 mm



LED LIGHTING between bottom edge door panel and treshold Provided with a route for cable and transformer; white light



STANDARD MODEL H405

- wood of spruce, oak, European larch (panel veneered upright)
- Single-colour coating from standard colour charts
- Pannel on the exterior covered with massive old wood application, thickness ca.20 mm, Typ 3B, Possible in other wood types: spruce 3A, spruce 5C, spruce 2E, oak 4E
- 4 triple glazed glass, Ug = 0,7 W/m²K, TGI black, Ornament in the middle, Glass group 1. Depends on the model: enamel ontransparent glass od on parsol grey, both sides ESG, transparent glass in the middle
- THERMAL INSULATED THRESHOLD aluminium on the exterior, silver colour, plastic on the interior, silver colour
- AUTOMATIC DOORS BOTTOM
 between the panel and the threshold,
 adjusted by using a hex key
- 3-point locking with hooks3D adjustable, zink coating
- REGULAR PROFILE CYLINDER PZ1
 Lockable from both sides with emergency and alarm
 function (N+G), 6 keys (no warranty to work in the long term)

SONDERAUSSTATTUNG / ZUBEHÖR / GEGEN AUFPREIS:

- 3-point locking with hooks, 3D adjustable, black coating
- Frame on the exterior veneer with old wood spruce 3B
- Pannel on the interior gnarled veneer spruce
- Rossette on the exterior SZEP
- Handle on the exterior GQ160
- Handle on the interior S640
- EAV3 locking system with Fingerscanner FS1



Detail: Standard-pannel with streightening and massive-old wood application



View from exterior



Option available for an additional charge:

Allwetter sheet for the panel additional aluminium strengthening strips on the side of the lock for improved panel stability. other properties identical to the Standard model.



View from interior



M SORA, d.d. Trg svobode 2, Žiri Industrijska ulica 13, Žiri Letališka cesta 32b, 1000 Ljubljana E: okna@m-sora.si E: salon@m-sora.si T: 04 50 50 230 T: 01 544 13 10

